European Journal of Anaesthesiology

EDITED BY A. P. ADAMS

PUBLISHED ON BEHALF OF
THE EUROPEAN FEDERATION
OF ANAESTHESIOLOGISTS

VOLUME 20, 2003

Greenwich Medical Media Ltd

ISSN: 0265-0215

Published by Greenwich Medical Media Ltd
4th Floor
137 Euston Road
London
UK
NW1 2AA
Email: eja@greenwich-medical.co.uk
Web site: www.eja-online.org

ISSN: 0265-0215

© 2003 European Academy of Anaesthesiology. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by the European Academy of Anaesthesiology for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $15.00 per copy is paid directly to CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Editor.
ISSN 0265-0215/01 $15.00.

Typeset by Charon Tec Pvt. Ltd, India
Printed and bound by Bell & Bain Ltd, Glasgow, UK

European Journal of Anaesthesiology 2003; 20: iii–x
© 2003 European Academy of Anaesthesiology
ISSN 0265-0215

Volume Contents

Volume 20 Number 1 January 2003

Review

1 Anaesthetic agents in adult day case surgery. *B. J. Pollard, R. A. Elliott, E. W. Moore*

Original Articles

10 Breathing pattern and workload during automatic tube compensation, pressure support and T-piece trials in weaning patients. *R. Kuhlen, M. Max, R. Dembinski, S. Terbeck, E. Jürgens, R. Rossaint*

17 Trendelenburg positioning after cardiac surgery: effects on intrathoracic blood volume index and cardiac performance. *D. A. Reuter, T. W. Felbinger, C. Schmidt, K. Moerstedt, E. Kilger, P. Lamm, A. E. Goetz*

21 Increasing the injection volume by dilution improves the onset of motor blockade, but not sensory blockade of ropivacaine for brachial plexus block. *H. Krenn, E. Deusch, B. Balogh, H. Jellinek, W. Oczenski, E. Plainer-Zöchling, R. D. Fitzgerald*

26 Anaesthetic and haemodynamic effects of continuous spinal versus continuous epidural anaesthesia with prilocaine. *R. Reisli, J. Celik, S. Tuncer, A. Yosunkaya, S. Otelcioglu*

31 Prediction of difficult tracheal intubation. *G. Iohom, M. Ronayne, A. J. Cunningham*

37 Tracheal intubation without muscle relaxants: remifentanil or alfentanil in combination with propofol. *E. Erhan, G. Ugur, I. Alper, I. Gunusen, B. Ozyar*

44 Cortical activity assessed by Narcotrend® in relation to haemodynamic responses to tracheal intubation at different stages of cortical suppression and reflex control. *K. Raymondos, S. Münte, T. Krauss, U. Grouven, S. Piepenbrock*

52 Cricoid yoke: the effect of surface area and applied force on discomfort experienced by conscious volunteers. *A. E. Campbell, A. Turley, A. R. Wilkes, J. E. Hall*

56 Effects of different doses of oral ketamine for premedication of children. *S. Turhanoğlu, A. Karamaz, M. A. Özyilmaz, S. Kaya, D. Tok*

61 Remifentanil versus alfentanil in total intravenous anaesthesia for day case surgery. *I. Alper, E. Erhan, G. Ugur, B. Ozyar*

65 Stability of the LMA-ProSeal® and standard laryngeal mask airway in different head and neck positions: a randomized crossover study. *J. Brimacombe, C. Keller*

Correspondence

70 Blood pressure control with glyceryl trinitrate during electroconvulsive therapy in a patient with cerebral aneurysm. *C. Ogawa-Okamoto, S. Saito, F. Nishihara, N. Yuki, F. Goto*

72 Failure of interscalene brachial plexus blockade to produce pre-emptive analgesia after shoulder surgery. *K. M. Haltiavaara, J. O. Laitinen, S. Kaukinen, T. J. Viljakka, P. J. Laippala, T. H. Luukkaala*

74 Laryngeal mask airway severed by biting. *A. M. Heffernan, M. White, A. Curran, S. A. Colbert*

75 Sickle cell disease in pregnancy. *I. Browne, H. Byrne, L. Briggs*

77 General anaesthesia with remifentanil and cisatracurium for a superobese patient. *T. Gaszyński, W. Gaszyński, J. Strzelczyk*

79 Book Reviews

82 Guide to Contributors

Volume 20 Number 2 February 2003

Original Articles

87 Neural nets and prediction of the recovery rate from neuromuscular block. *O. A. P. Santanen, N. Svartling, J. Haasio, M. P. J. Paloheimo*

93 Effects of repeated anaesthesia on central cholinergic function in the rat cerebral cortex. *C. D. Hanning, A. Blokland, M. Johnson, E. K. Perry*

98 Effects of xenon on mesenteric blood flow. *R. Bogdanski, M. Blobner, H. Fink, E. Kochs*

104 Effects of ropivacaine on human neutrophil function: comparison with bupivacaine and lidocaine. *K. Mikawa, H. Akamatsu, K. Nishina, M. Shiga, H. Obara, Y. Niwa*

111 Effect of sevoflurane on human neutrophil apoptosis. *R. Tyther, J. O'Brien, J. Wang, H. P. Redmond, G. Shorten*

116 Sevoflurane but not isoflurane can reduce prostacyclin production of endothelial cells. *B. Heindl, F. Reichle, B. F. Becker*

120 Dopamine stabilizes milrinone-induced changes in heart rate and arterial pressure during anaesthesia with isoflurane. *F. Karasawa, T. Okuda, M. Tsutsui, N. Matsuoka, S. Yamada, Y. Kawatani, T. Satoh*
124 Adsorption of sufentanil to epidural filters and catheters. *M. Westphal, H. Hohage, H. Buerkle, H. Van Aken, T. Ermert, G. Brodner*
127 Opioid-induced respiratory depression is associated with increased tidal volume variability. *T. Bouillon, J. Bruhn, H. Roepcke, A. Hoeft*
134 Induced arterial hypotension for interventional thoracic aortic stent-graft placement: impact on intracranial haemodynamics and cognitive function. *G. von Knobelsdorff, R. M. Höppner, P. H. Tonner, A. Paris, C. A. Nienaber, J. Scholz, J. Schulte am Esch*
141 Intravenous patient-controlled analgesia after thoracotomy: a comparison of morphine with tramadol. *H. Erolçay, L. Yüceyar*
147 Gastric mucosal-to-end-tidal PCO_2 difference during major abdominal surgery: influence of the arterial-to-end-tidal PCO_2 difference? *G. Lebuffe, T. Onimus, B. Vallet*
153 Ondansetron disintegrating tablets of 8 mg twice a day for 3 days did not reduce the incidence of nausea or vomiting after laparoscopic surgery. *K. S. Thagaard, S. Steine, J. Raeder*
158 Nitrous oxide/oxygen mixture and the prevention of pain during injection of propofol. *D. Harmon, C. Rozario, D. Lowe*

Correspondence
162 Subcutaneous emphysema at the site of central line placement due to the haematogenous spread of *Clostridium septicum*. *J. O'Rourke, C. Fahy, M. Donnelly*
164 Efficacy of epidural analgesia during labour and delivery: a comparison between singleton vertex presentation, singleton breech presentation and twin pregnancies. *T. Villevieille, F. Mercier, P. E. Shannon, Y. Auroy, D. Benhamou*
166 Survey of antibiotic prophylaxis in cardiac surgery. *J. J. Lehot, S. Helou, O. Bastien*
167 Fentanyl-mediated reduction in the bispectral index and 95% spectral edge frequency is age-dependent. *N. Anzawa, K. Hirota, M. Kitayama, T. Kushikata, A. Matsuki*
169 Anaphylaxis after rocuronium. *G. Kierzek, J. Audibert, J.-L. Pourriat*
170 Alternative application site of transdermal nitroglycerin and the reduction of pain on propofol injection. *A. Turan, B. Karamanlioğlu, D. Memiş, Z. Pamukçu*

Volume 20 Number 3 March 2003

Review
175 Anaesthetic strategies to reduce perioperative blood loss in paediatric surgery. *T. P. Weber, M. A. Große Hartlage, H. Van Aken, M. Booke*

Original Articles
182 Pharmacokinetics and pharmacodynamics of the new propofol prodrug GPI 15715 in rats. *M. Schywalsky, H. Ihmsen, A. Tzabazis, J. Fechner, E. Burak, J. Vornov, H. Schwilden*
191 Effects of propofol on the systolic and diastolic performance of the postischaemic, reperfused myocardium in rabbits. *H. A. Leather, M. H. De Wolff, P. F. Wouters*
199 Effects of bupivacaine used with sevoflurane on the rhythm and contractility in the isolated rat heart. *P. Bozkurt, Ö. Süzer, E. Ekici, Ö. Demirci, G. Kaya, M. Hacibekiroğlu*
205 Effects of rolipram, pimobendan and zaprinast on ischaemia-induced dysrhythmias and on ventricular cyclic nucleotide content in the anaesthetized rat. *M. D. Carceles, F. Aleixandre, T. Fuente, J. López-Vidal, M. L. Laorden*
212 Effect of the neuronal nitric oxide synthase inhibitor 7-nitroindazole on the righting reflex ED_{50} and minimum alveolar concentration during sevoflurane anaesthesia in rats. *S. Kobayashi, T. Katoh, T. Iwamoto, H. Bito, S. Sato*
220 High-affinity block of voltage-operated rat IIA neuronal sodium channels by 2,6 di-*tert*-butylphenol, a propofol analogue. *G. Haeseler, M. Leuwer*
225 Factors determining the duration of tracheal intubation in cardiac surgery: a single-centre sequential patient audit. *C. Naughton, N. Reilly, A. Powroznyk, C. Aps, T. Hunt, D. Hunter, R. S. Parsons, E. Sherry, D. Spackman, A. Wielogorski, R. O. Feneck*
234 Suprascapular nerve block or a piroxicam patch for shoulder tip pain after day case laparoscopic surgery. *J. Y. Hong, I. H. Lee*
239 Treatment of hiccup during general anaesthesia or sedation: a qualitative systematic review. *P. Kranke, L. H. Eberhart, A. M. Morin, J. Cracknell, C.-A. Greim, N. Roewer*
245 Injection pain of rocuronium and vecuronium is evoked by direct activation of nociceptive nerve endings. *J. A. Blunk, F. Seifert, M. Schmelz, P. W. Reeh, W. Koppert*

Correspondence
254 Central neuraxial blocks and anticoagulation. *M. Fattorutto*
255 A reply. *A. Tyagi, A. Bhattacharya*
256 Intrathoracic blood volume in a patient with pulmonary embolism. *S. G. Sakka, A. Meier-Hellmann*
257 Prophylactic continuous intravenous ephedrine infusion for elective Caesarean section under spinal anaesthesia. *Y. Leykin, F. Rubulotta*

Volume 20 Number 4 April 2003

Review

259 Important physical principles in anaesthesiology. *A. Manohin, M. Manohin*

Original Articles

282 Recollection of dreams after short general anaesthesia: influence on patient anxiety and satisfaction. *K. Hellwagner, A. Holzer, B. Gustorff, K. Schroegendorfer, M. Greber, M. Weindlmayr-Goettel, B. Saletu, F. X. Lackner*

289 High-dose midazolam and the attenuation of the contractile response to vasoconstrictors in coronary artery segments. *A. P. Klockgether-Radke, A. Thudium, A. Frerichs, D. Kettler, G. Hellige*

294 Intrathecal fentanyl added to intrathecal bupivacaine for day case surgery: a randomized study. *S. Goel, N. Bhardwaj, V. K. Grover*

298 Haemodynamic response to a small intravenous bolus injection of epinephrine in cardiac surgical patients. *N. W. F. Linton, R. A. F. Linton*

305 Effect of dexamethasone on motor brachial plexus block with bupivacaine and with bupivacaine-loaded microspheres in a sheep model. *J.-P. Estebe, P. Le Corre, R. Clément, L. Du Plessis, F. Chevanne, R. Le Verge, C. Ecoffey*

311 Anaesthesia for day case surgery: a survey of adult clinical practice in the UK. *K. Payne, E. W. Moore, R. A. Elliott, B. J. Pollard, G. A. McHugh*

325 Anaesthesia for day case surgery: a survey of paediatric clinical practice in the UK. *K. Payne, E. W. Moore, R. A. Elliott, J. K. Moore, G. A. McHugh*

Correspondence

331 Fluid shifts in anaphylaxis. *J. Dahn, K. F. Waschke, B. A. Stuck, K. Hörmann*

332 Tramadol versus meperidine in the treatment of shivering during spinal anaesthesia. *M. Kaya, O. Sariyildiz, D. Karakus, G. Özalp, D. N. Kadiogullari*

333 Epidural bleed and quadriplegia due to acquired platelet dysfunction unrelated to multiple spinal and epidural puncture. *T. P. Weber, H. Van Aken, B. E. Kehrel, A. Meißner, T. Brüssel, V. Bullmann, W. Winkelmann, W. Heindel, N. Rolf*

336 Anaesthesia for total hip replacement in a patient with Holt–Oram syndrome. *S. White, M. Parry, K. Henderson*

338 Plateletpheresis the day before cardiac surgery and the impairment of platelet function. *M. Fattorutto, O. Pradier, J. L. Jansens, B. Ickx, L. Barvais*

341 **Book Reviews**

Volume 20 Number 5 May 2003

Review

343 Basic concepts of ion channel physiology and anaesthetic drug effects. *P. Friederich*

Original Articles

354 Pharmacological modification of sodium channels from the human heart atrium in planar lipid bilayers: electrophysiological characterization of responses to batrachotoxin and pentobarbital. *H. C. Wartenberg, J. P. Wartenberg, B. W. Urban*

363 Testing and modelling the interaction of alfentanil and propofol on the EEG. *H. Schwilden, J. Fechner, S. Albrecht, W. Hering, H. Ihmsen, J. Schüttler*

373 Modelling the pharmacodynamic interaction between remifentanil and propofol by EEG-controlled dosing. *J. Fechner, W. Hering, H. Ihmsen, T. Palmaers, J. Schüttler, S. Albrecht*

380 Effect of sevoflurane on the *ex vivo* secretion of TNF-α during and after coronary artery bypass surgery. *S. R. El Azab, P. M. J. Rosseel, J. J. De Lange, A. B. J. Groeneveld, R. Van Strik, E. M. Van Wijk, G. J. Scheffer*

385 Pharmacokinetic-based total intravenous anaesthesia using remifentanil and propofol for surgical myocardial revascularization. *F. Guarracino, D. Penzo, D. De Cosmo, A. Vardanega, R. De Stefani*

391 Changes in gas concentrations in the Brandt endotracheal tube cuff during and after anaesthesia with nitrous oxide. *F. Karasawa, A. Takita, M. Kodama, T. Takahashi, H. Wada, T. Ikemoto, T. Satoh*

396 Effect of bispectral index monitoring on sevoflurane consumption. *H. Başar, S. Ozcan, U. Buyukkocak, S. Akpinar, A. Apan*

401 Perioperative headache and day case surgery. *P. S. Gill, C. Guest, P. G. Rabey, D. J. Buggy*

404 Analgesic effects of intrathecal neostigmine in perianal surgery. *A. Yegin, M. Yilmaz, B. Karsli, M. Erman*

409 Trazodone hydrochloride attenuates thermal hyperalgesia in a chronic constriction injury rat model. *K. Okuda, T. Takanishi, K. Yoshimoto, S. Ueda*

416 Postoperative pain management with intravenous patient-controlled morphine: comparison of the effect of adding magnesium or ketamine. *H. Ünlügenç, M. Özalevli, T. Güler, G. Işik*

Correspondence

422 Acid–base management during hypothermic neuroprotection. *D. C. Whitaker*

423 A reply. *T. Frietsch*

425 **Book Reviews**

Volume 20 Number 6 June 2003

Editorial

427 Human immobilization: is the experience in Moscow just the beginning? *T. Stanley*

Review

429 Fluid therapy in sepsis with capillary leakage. *G. Marx*

Original Articles

443 Pattern of renal dysfunction associated with myocardial revascularization surgery and cardiopulmonary bypass. *A. Faulí, C. Gomar, J. M. Campistol, L. Alvarez, A. M. Manig, P. Matute*

451 Bispectral index monitoring in patients undergoing cardiac surgery under cardiopulmonary bypass. *G. D. Puri, S. S. Murthy*

457 Cerebral vascular reactivity response to anaesthetic induction with propofol in patients with intracranial space-occupying lesions and vascular malformations. *K. Schmieder, W. Schregel, M. Engelhardt, A. Harders, G. Cunitz*

461 Propofol versus remifentanil for monitored anaesthesia care during colonoscopy. *A. T. Moerman, L. A. Foubert, L. L. Herregods, M. M. R. F. Struys, D. J. De Wolf, D. A. De Looze, M. M. De Vos, E. P. Mortier*

467 Comparison between the Datex-Ohmeda M-NMT® module and a force-displacement transducer for monitoring neuromuscular blockade. *C. Motamed, K. Kirov, X. Combes, P. Duvaldestin*

470 Time required to achieve a stable cuff pressure by repeated aspiration of the cuff during anaesthesia with nitrous oxide. *F. Karasawa, T. Hamachi, I. Takamatsu, T. Oshima*

475 Clinical test to confirm tracheal intubation: a new method to confirm endotracheal intubation in the absence of capnography. *G. Baigel, J. Safranski*

478 Preliminary experience of combined peri- and retrobulbar block in surgery for penetrating eye injuries. *L. Niemi-Murola, I. Immonen, H. Kallio, E.-L. Maunuksela*

482 Oral premedication with fentanyl may be a safe and effective alternative to oral midazolam. *M. Tamura, K. Nakamura, R. Kitamura, S. Kitagawa, N. Mori, Y. Ueda*

487 Pain on injection of propofol: comparison of metoprolol with lidocaine. *İ. Aşık, D. Yörükoğlu, I. Gülay, M. Tulunay*

490 Preoperative oral celecoxib versus preoperative oral rofecoxib for pain relief after thyroid surgery. *B. Karamanlıoğlu, C. Arar, A. Alagöl, A. Çolak, I. Gemlik, N. Süt*

Correspondence

496 Posterior subgluteal approach to block the sciatic nerve: the controversy of 'which came first, the chicken or the egg' is alive. *B. Singh, P. Sharma*

497 A reply. *P. di Benedetto, L. Bertini, G. Fanelli, A. Casati*

498 Breath interval as a continuous measure of opioid effects of intravenous fentanyl and alfentanil. *J. A. Smart, E. J. Pallett, D. J. R. Duthie*

500 Spontaneous intracranial hypotension treated with a cervical epidural blood patch. *T. Usui, S. Saito, F. Goto*

502 Pharyngeal necrosis with the laryngeal mask airway. *J. Brimacombe, L. Costa E. Silva*

503 More resistance than normal: equipment checks revisited. *P. Picton, N. W. Barnes*

505 **Book Reviews**

Volume 20 Number 7 July 2003

Editorial

511 Resuscitative hypothermia after cardiac arrest in adults. *C. L. Gwinnutt, J. P. Nolan*

Review

515 Risk stratification for adverse outcome in cardiac surgery. *J. H. Heijmans, J. G. Maessen, P. M. H. J. Roekaerts*

Original Articles

528 Multicentre evaluation of *in vitro* contracture testing with bolus administration of 4-chloro-*m*-cresol for diagnosis of malignant hyperthermia susceptibility. *F. Wappler, M. Anetseder, C. P. Baur, K. Censier, S. Doetsch, P. Felleiter, M. Fiege, R. Fricker, P. J. Halsall, E. Hartung, J. J. A. Heffron, L. Heytens, P. M. Hopkins, W. Klingler, F. Lehmann-Horn, Y. Nivoche, V. Tegazzin, I. Tzanova, A. Urwyler, R. Weißhorn, J. Schulte am Esch*

537 QTc dispersion as a marker for medical complications after severe subarachnoid haemorrhage. *C. S. A. Macmillan, P. J. D. Andrews, A. D. Struthers*

543 Effects of sevoflurane on cerebral blood flow and cerebral metabolic rate of oxygen in human beings: a comparison with isoflurane. *T. Oshima, F. Karasawa, Y. Okazaki, H. Wada, T. Satoh*

548 Inhalational induction of anaesthesia with 8% sevoflurane in children: conditions for endotracheal intubation and side-effects. *F. Wappler, D. P. Frings, J. Scholz, V. Mann, C. Koch, J. Schulte am Esch*

555 Nitrous oxide concentrations in maternal and fetal blood during Caesarean section. *F. Karasawa, A. Takita, I. Fukuda, Y. Kawatani*
560 Comparison of the effects of two intrathecal anaesthetic techniques for transurethral prostatectomy on haemodynamic and pulmonary function. *K. H. Walsh, C. Murphy, G. Iohom, C. Cooney, J. McAdoo*
565 Target-controlled infusion of propofol for fibreoptic intubation. *E. Knolle, M. J. Oehmke, B. Gustorff, K. Hellwagner, H. G. Kress*
570 Simple method to determine the size of the laryngeal mask airway in children. *L. Gallart, A. Mases, J. Martinez, A. Montes, S. Fernandez-Galinski, M. M. Puig*

Correspondence
575 Effects of diltiazem compared with nicardipine on diaphragmatic fatigability *in vivo*. *Y. Fujii*
577 Possible underestimation of the relative incidence of anaphylactic reactions to benzylisoquinoline neuromuscular blocking agents. *F. Lagneau, B. Corda, J. Marty*
579 Two episodes of bronchospasm during anaesthesia in asthmatic patients. *F. Yanagidate, S. Dohi*
581 Temporary pacemakers for non-cardiac surgery. *Cs. Csontos, L. Bogar, L. Melczer*
583 Effects of sevoflurane and isoflurane on the efficacy of rewarming from hypothermic cardiopulmonary bypass. *M. Tugrul, E. Camci, Z. Sungur*
585 Impossibility of injection through an epidural catheter caused by an incorrect connection of catheter and connector. *C. Harada, T. Sakuragi, K. Katori, K. Higa*
586 Cyproheptadine and the treatment of an unconscious patient with the serotonin syndrome. *G. D. Baigel*

589 Book Review

590 Guide to Contributors

Volume 20 Number 8 August 2003

Editorial
595 Cardiological aspects in preoperative anaesthesiological evaluation: old heroes, new shadows. *H. Reinecke, G. Breithardt, H. Van Aken*

Review
600 Muscle relaxants in neurosurgical anaesthesia: a critical appraisal. *P. Hans, V. Bonhomme*

Original Articles
606 Effects of calcium and magnesium pretreatment on hyperkalaemic cardiac arrest in rats. *M. W. Hollmann, D. Strümper, V. A. Salmons, J. M. Washington, M. E. Durieux*
612 Role of history and physical examination in preoperative evaluation. *W. A. van Klei, D. E. Grobbee, C. L. G. Rutten, P. J. Hennis, J. T. A. Knape, C. J. Kalkman, K. G. M. Moons*
619 Difficult airway management patterns among attending anaesthetists practising in Israel. *T. Ezri, S. Konichezky, D. Geva, R. D. Warters, P. Szmuk, C. Hagberg*
624 Bispectral index-guided administration of anaesthesia: comparison between remifentanil/propofol and remifentanil/isoflurane. *G. Schneider, C. Elidrissi, P. S. Sebel*
631 Sufentanil added to hyperbaric bupivacaine for subarachnoid block in Caesarean section. *A. de F. de Assunção Braga, F. S. da Silva Braga, G. M. Braga Potério, R. I. Costa Pereira, E. Reis, E. Cremonesi*
636 Epidural levobupivacaine, ropivacaine and bupivacaine in combination with sufentanil in early labour: a randomized trial. *M. Camorcia, G. Capogna*
640 Randomized comparison between sevoflurane anaesthesia and unilateral spinal anaesthesia in elderly patients undergoing orthopaedic surgery. *A. Casati, G. Aldegheri, F. Vinciguerra, A. Marsan, G. Fraschini, G. Torri*
647 General anaesthesia or spinal anaesthesia for outpatient urological surgery. *E. Erhan, G. Ugur, O. Anadolu, M. Saklayan, B. Ozyar*
653 Comparison of the effects of sevoflurane and total intravenous anaesthesia in percutaneous nephrolithotomy. *S. Atici, A. Aribogan*
658 Respiratory mechanics in morbid obese patients with chronic obstructive pulmonary disease and hypertension during pneumoperitoneum. *Z. Saliboglu, S. Demiroluk, Y. Dikmen*
662 Elimination of alfentanil delivered by infusion is not altered by the chronic administration of atorvastatin. *C. G. McDonnell, D. Malkan, F. D. Van Pelt, G. D. Shorten*
668 Comparative study of the antiemetic efficacy of ondansetron, propofol and midazolam in the early postoperative period. *H. Unlugenc, T. Guler, Y. Gunes, G. Isik*

Correspondence
674 Epidural anaesthesia for pain relief in labour. *P. Zuokumor, M. Columb*
675 A reply. *İ. Aşık, N. Alkış, A. H. Elhan*
677 Anaesthesia for repair of cleft lip, maxilla and palate in Nepal. *E. Hoffmann, M. Dück, A. Oberthür, M. Paul*

Volume 20 Number 9 September 2003

Editorial

679 Training, assessment and accreditation in anaesthesiology and the implications for the European Union. *P. Simpson*

Review

682 A history of neuraxial administration of local analgesics and opioids. *S. Brill, G. M. Gurman, A. Fisher*

Original Articles

690 Effects of pressure- and volume-controlled inverse ratio ventilation on haemodynamic variables, intracranial pressure and cerebral perfusion pressure in rabbits: a model of subarachnoid haemorrhage under isoflurane anaesthesia. *A. Taplu, N. Gökmen, S. Erbayraktar, B. Sade, N. Erkan, K. Karadibak, A. Arkan*

697 Comparison of clevidipine with sodium nitroprusside in the control of blood pressure after coronary artery surgery. *A. V. V. Powroznyk, A. Vuylsteke, C. Naughton, S. L. Misso, J. Holloway, Å. Jolin-Mellgård, R. D. Latimer, M. Nordlander, R. O. Feneck*

704 Prospective, randomized, controlled evaluation of the preventive effects of positive end-expiratory pressure on patient oxygenation during one-lung ventilation. *G. Mascotto, M. Bizzarri, M. Messina, E. Cerchierini, G. Torri, A. Carozzo, A. Casati*

711 Effects of fenoldopam on renal blood flow and its function in a canine model of rhabdomyolysis. *C. Murray, F. Markos, H. M. Snow, T. Corcoran, N. Parfrey, G. D. Shorten*

719 Outcome for cardiothoracic surgical patients requiring multidisciplinary intensive care. *R. J. Roche, A. D. Farmery, C. S. Garrard*

726 Sedation for neuroradiology revisited: comparison of three techniques for cerebral angiography. *M. A. Bewlay, A. S. Laurence*

731 Disposable laryngoscope blades do not interfere with ease of intubation in scheduled general anaesthesia patients. *M. Galinski, F. Adnet, D. Tran, Z. Karyo, H. Quintard, D. Delettre, E. Lebail, B. Guignard, C. Lebrault, M. Chauvin*

736 Spinal cord stimulation does not change peripheral skin blood flow in patients with neuropathic pain. *M. Ather, P. Di Vadi, D. Light, J. R. Wedley, W. C. Hamann*

740 Effect of catheter design on tracheal pressures during tracheal gas insufflation. *I. R. Dyer, M. Esmail, G. Findlay, J. S. Mecklenburgh, J. Dingley*

745 What pain scales do nurses use in the postanaesthesia care unit? *F. Aubrun, X. Paqueron, O. Langeron, P. Coriat, B. Riou*

750 Closing the audit loop – prevention of perioperative hypothermia: audit and reaudit of perioperative hypothermia. *G. A. Gallagher, T. McLintock, M. G. Booth*

Correspondence

753 Subcutaneous emphysema, pneumomediastinum and pneumothorax after laryngeal laser surgery. *G. Sánchez-Etayo, A. Ayuso, P. Santos, F. J. Tercero, M. Luis*

755 Subacute epidural abscess after spinal cord stimulator implantation. *A. Arxer, C. Busquets, J. Vilaplana, A. Villalonga*

757 Retropharyngeal or cervicomediastinal haematomas following stellate ganglion block. *Y. Okuda, K. Urabe, T. Kitajima*

759 Breathing or ventilation via a mouth mask for rhinoplasty operations in the early postanaesthetic period. *H. Erbay, C. O. Kara, I. G. Kara, E. Tomatir*

760 **Book Reviews**

Volume 20 Number 10 October 2003

Editorial

763 SESAM – The Society in Europe for Simulation Applied to Medicine. *M. Rall, S. Mönk, S. Mather, A. Rettedal, R. Glavin*

Review

764 Strategies to reduce perioperative blood loss related to non-surgical bleeding. *A. Menzebach, U. Cassens, H. Van Aken, M. Booke*

Original Articles

771 Albumin administration – what is the evidence of clinical benefit? A systematic review of randomized controlled trials. *G. R. Haynes, R. J. Navickis, M. M. Wilkes*

794 Derecruitment of the lung induced by stepwise lowering of positive end-expiratory pressure in patients with adult respiratory distress syndrome. *E. De Robertis, G. Servillo, M. Pezza, D. Viscidi, R. Tufano*

800 Excitatory effects of fentanyl upon the rat electroencephalogram and auditory-evoked potential responses during anaesthesia. *L. M. Antunes, J. V. Roughan, P. A. Flecknell*

809 Effects of nicardipine and diltiazem on the bispectral index and 95% spectral edge frequency. *K. Hirota, S. Kabara, T. Kushikata, M. Kitayama, H. Ishihara, A. Matsuki*

813 Remifentanil–propofol versus sufentanil–propofol anaesthesia for supratentorial craniotomy: a randomized trial. *K. Gerlach, T. Uhlig, M. Hüppe, G. Nowak, A. Schmitz, L. Saager, A. Grasteit, P. Schmucker*

821 Neuromuscular block and relative concentrations of mivacurium isomers under isoflurane versus propofol anaesthesia. *T. Ledowski, H. Wulf, K. Ahrens, M. Weindlmayr-Goettel, H.-G. Kress, G. Geldner, J. Scholz*

826 Levobupivacaine 0.25% compared with ropivacaine 0.25% by the caudal route in children. *M. Astuto, N. Disma, C. Arena*

831 Comparison of oral dolasetron and ondansetron in the prophylaxis of postoperative nausea and vomiting in children. *B. Karamanlioglu, A. Turan, D. Memis, N. Süt*

Abstracts

836 Meeting of the Society in Europe for Simulation Applied to Medicine (SESAM), 10–11 May 2002: Santander, Spain

Correspondence

851 Do we know all about hypothermia and are studies on the subject unethical? *B. Lisander, T. Johansson*

852 Book Reviews

Volume 20 Number 11 November 2003

Editorial

855 Non-heart-beating organ donation. *M. Steven, N. Pace*

Review

859 Anaesthetic implications of anticancer chemotherapy. *S. Kvolik, L. Glavas-Obrovac, K. Sakic, D. Margaretic, I. Karner*

Original articles

872 The 'TEI-index' is preload dependent and can be measured by transoesophageal echocardiography during mechanical ventilation. *J. T. Lutz, R. Giebler, J. Peters*

878 Desflurane inhibits platelet function *in vitro* similar to halothane. *T. Berlet, A. Krab, U. Börner, B. S. Gathof*

884 Implications of the use of neuromuscular transmission monitoring on immediate postoperative extubation in off-pump coronary artery bypass surgery. *G. Cammu, K. De Keersmaecker, F. Casselman, J. Coddens, J. Hendrickx, F. Van Praet, T. Deloof*

891 Intraperitoneal application of bupivacaine plus morphine for pain relief after laparoscopic cholecystectomy. *J. Hernández-Palazón, J. A. Tortosa, V. Nuño de la Rosa, J. Giménez-Viudes, G. Ramírez, R. Robles*

897 Nerve-stimulator guided paravertebral blockade vs. general anaesthesia for breast surgery: a prospective randomized trial. *M. Z. Naja, M. F. Ziade, P. A. Lönnqvist*

904 Improvement in postoperative pain relief by the addition of midazolam to an intrathecal injection of buprenorphine and bupivacaine. *F. R. Shah, A. R. Halbe, I. D. Panchal, C. S. Goodchild*

911 The effect of intrathecal medetomidine on small bowel transit in the rat. *L. Bilir, B. Yelken, S. Guleç, A. Bilir, S. Ekemen*

916 Perioperative intravenous adenosine infusion to extend postoperative analgesia in brachial plexus block. *A. Apan, S. Ozcan, U. Buyukkocak, O. Anbarci, H. Basar*

920 Efficacy of tramadol versus meperidine for pain relief and safe recovery after adenotonsillectomy. *Z. Özer, K. Görür, A. A. Altunkan, E. Bilgin, H. Çamdeviren, U. Oral*

925 Total intravenous anaesthesia with ketamine–midazolam versus halothane–nitrous oxide–oxygen anaesthesia for prolonged abdominal surgery. *A. A. Shorrab, M. M. Atallah*

Correspondence

932 Breathing pattern and workload during automatic tube compensation, pressure support and T-piece trials in weaning patients. *D. J. W. Knight, I. K. Moppett, J. G. Hardman*

933 A reply. *R. Kuhlen, M. Max, R. Dembinski, S. Terbeck, E. Jürgens, R. Rossaint*

933 Pre-emptive analgesia produced by interscalene blockade. What failed: the block or the methods? *S. Blumenthal, M. Nadig, A. Borgeat*

934 A reply. *K. M. Haltiavaara*

934 Recollection of dreams after short general anaesthesia: influence on patient anxiety and satisfaction. *D. J. W. Knight, J. G. Hardman*

936 A reply. *K. Hellwagner, A. Holzer, B. Gustorff, K. Schroegendorfer, M. Greher, M. Weindlmayr-Goettel, B. Saletu, F. X. Lackner*

937 The use of an airway exchange catheter in the management of acute airway obstruction. *G. Dobson*

Volume 20 Number 12 December 2003

Original Articles

939 The efficacy of nicorandil, calcium chloride and nitroglycerin in treatment of ropivacaine-induced cardiotoxicity. *J. M. Porter, F. Markos, H. M. Snow, G. D. Shorten*

945 Desflurane increases heart rate independent of sympathetic activity in dogs. *O. Picker, L. A. Schwarte, A. W. Schindler, T. W. L. Scheeren*

952 Intraoperative catecholamine release in brain-dead organ donors is not suppressed by administration of fentanyl. *R. D. Fitzgerald, C. Hieber, E. Schweitzer, A. Luo, W. Oczenski, F. X. Lackner*

957 Inflammation increases sufentanil requirements during surgery for inflammatory bowel diseases. *A. Guidat, M. Fleyfel, B.Vallet, P. Desreumaux, J. C. Levron, L. Gambiez, J. F. Colombel, P. Scherpereel*
963 COX 2 selectivity of non-steroidal anti-inflammatory drugs and perioperative blood loss in hip surgery. A randomized comparison of indomethacin and meloxicam. *E. W. G. Weber, R. Slappendel, M. E. Durieux, R. Dirksen, H. van der Heide, M. Spruit*
967 User acceptance of an anaesthesia information management system. *L. Quinzio, A. Junger, B. Gottwald, M. Benson, B. Hartmann, A. Jost, A. Banzhaf, G. Hempelmann*
973 Sub-Tenon's block reduces both intraoperative and postoperative analgesia requirement in vitreo-retinal surgery under general anaesthesia. *A. D. Farmery, D. Shlugman, R. Rahman, P. Rosen*
979 A prospective, randomized, double-blind comparison of epidural levobupivacaine 0.5% with epidural ropivacaine 0.75% for lower limb procedures. *V. A. Peduto, S. Baroncini, S. Montanini, R. Proietti, L. Rosignoli, R. Tufano, A. Casati*

Correspondence
984 Analgesic effects of intrathecal neostigmine. *R. K. Poddar, C. P. Gosavi*
985 Central venous catheter malposition in an anomalous pulmonary vein. *S. A. Townley*
986 A double-lumen tube technique for selective lobar isolation. *S. D. Mentzelopoulos, K. Rellos, M. J. Tzoufi, A. S. Michalopoulos, E. P. Papageorgiou*
988 Life-threatening airway obstruction caused by cervical osteophytes. *J. E. Sturgess, T. S. Leary*
990 Morphine-sparing effect of nefopam by continuous intravenous injection after abdominal surgery by laparotomy. *G. Tramoni, J. P. Viale, C. Cazals, K. Bhageerutty*

993 **Book Reviews**

996 **Subject Index**

1000 **Author Index**

Volume Contents

Referees for 2003